



**TOWN OF ORO VALLEY  
COMMUNITY AND ECONOMIC DEVELOPMENT DEPARTMENT  
11000 N. LA CAÑADA DRIVE, ORO VALLEY, AZ 85737  
PHONE: (520) 229-4800 FAX: (520) 742-1022  
[www.orovalleyaz.gov](http://www.orovalleyaz.gov)**

**Outdoor Lighting Code Compliance Sample Table**

Below is a sample table demonstrating how an applicant can show compliance with the Oro Valley lighting code standards from Chapter 27.5. The information below in *italics*, not in bold, is provided as a sample case.

<b>Property Zoning</b>	<i>R1-36</i>					
<b>Property Size (acres)</b>	<i>1 acre</i>					
<b>Lighting Zone</b>	<i>E2a</i>					
<b>Option Chosen from Table 27-5</b>	<i>Opt 3</i>					
<b>Allowed lumens (According to option chosen and lighting zone from table 27-5)</b>			<b>Total <u>allowed fully shielded</u> lumens</b>			<b>Total <u>allowed unshielded</u> lumens</b>
<i>35,000</i>			<i>31,000</i>			<i>4,000</i>
<b>Total Lumens used (proposed) on the property</b>			<b>Total fully shielded lumens used:</b>			<b>Total unshielded lumens used:</b>
<i>6,000</i>			<i>5,000</i>			<i>1,000</i>
<b>Fixture schedule (luminaire schedule)</b>						
<b>Fixture ID</b>	<b>Fully Shielded</b>	<b>Unshielded</b>	<b>Exempt(<i>list code section allowing exemption</i>)</b>	<b>Lumens per Fixture</b>	<b>Quantity*</b>	<b>Totals</b>
<b>Fixture A</b>	<i>X</i>			<i>1,000</i>	<i>5</i>	<i>5,000</i>
<b>Fixture B</b>		<i>X</i>		<i>500</i>	<i>3</i>	<i>1,000</i>
<b>Fixture C</b>			<i>Recessed Cans</i>	<i>N/A</i>	<i>5</i>	<i>N/A</i>
<ul style="list-style-type: none"> <li>• Ensure the electrical plans identify the same fixtures and quantities as listed in this table*</li> <li>• Include existing fixtures on the property</li> <li>• Provide cut sheets of each fixture. Ensure cut sheet is identified the same as listed in the table</li> <li>• Include notes about mounting height of fixtures</li> <li>• Additional information may be required depending on the zoning, type of project and light fixture chosen.</li> </ul>						

Electrical site plan example (in full sized plans)\*:

